

PREPARATION OF BINARY LIQUID 10
FROM WATER 11 AND SOLVENT 12

VAPORIZE BINARY LIQUID 10 TO
CREATE BINARY VAPOR 13

AERATE ARTICLES 14
BEING CLEANED

INJECT BINARY VAPOR 13
INTO ARTICLES 14 IN BASKET 15

FILTER BINARY VAPOR 13
IN FILTER 16 TO REMOVE
DEBRIS AND SOILS

LIQUIFY BINARY VAPORS 13
INTO BINARY LIQUID 10
IN IN-LINE CONDENSOR 16

Fig. 1

PREPARATION OF BINARY LIQUID 10
FROM WATER 11 AND SOLVENT 12

VAPORIZE BINARY LIQUID 10 TO
CREATE BINARY VAPOR 13

AERATE ARTICLES 14
BEING CLEANED

INJECT BINARY VAPOR 13
INTO ARTICLES 14 IN BASKET 15

FILTER BINARY VAPOR 13
IN FILTER 16 TO REMOVE
DEBRIS AND SOILS

LIQUIFY BINARY VAPORS 13
INTO BINARY LIQUID 10
IN IN-LINE CONDENSOR 16

Fig. 1

PREPARATION OF BINARY LIQUID 10
FROM WATER 11 AND SOLVENT 12

VAPORIZE BINARY LIQUID 10 TO
CREATE BINARY VAPOR 13

AERATE ARTICLES 14
BEING CLEANED

INJECT BINARY VAPOR 13
INTO ARTICLES 14 IN BASKET 15

FILTER BINARY VAPOR 13
IN FILTER 16 TO REMOVE
DEBRIS AND SOILS

LIQUIFY BINARY VAPORS 13
INTO BINARY LIQUID 10
IN IN-LINE CONDENSOR 16

Fig. 1